





足場チェーン



品名	L mm	質量 kg
KC-2	1977	1.32
KC-3	3013	1.93
KC-4	3975	2.54
KC-5	5011	3.15

許容荷重 2.35kN(一本吊) 4.21kN(ループ吊)

スカイハンガー




記号	L mm	H・床面調節高さ mm	質量 kg (取付金具含)
SH-750	750		18.5
SH-1050	1050	1505・1305・1205	20.5
SH-1300	1300		23.0

許容荷重 1.96kN



親綱支柱



緊張滑車 JK-1D



移動滑車 AK-1D

セット内訳 (1スパン9M)

品名	質量 kg	数量
親綱支柱	8.2	2
緊張滑車	0.6	1
移動滑車	0.5	1
親綱ロープ10M	2.2	1

親綱ロープ





テープ止め

品名・記号	質量 kg
7m・片フック RS-7	1.6
10m・片フック RS-10	2.2
15m・片フック RS-15	2.9
20m・片フック RS-20	3.7



ハイブリッジ






記号	全長 (L1) mm	メインブリッジ 長 (L2) mm	サイドブリッジ 長 (L3) mm	全巾 (W1) mm	通路巾 (W2) mm	全高 (H1) mm	手摺高 (H2) mm	折たみ高 (H3) mm	質量 kg
HBAL 43-65	4340~6540	3840	250~1350	1330	1100	1021	901	275	227
HBAL 65-96	6540~9640	6240	150~1700	1330	1100	1021	901	275	314



スカイブリッジ


* アルミ合金製




記号	全長 (L ₁) mm	メインブリッジ 長 (L ₂) mm	サイドブリッジ 長 (L ₃) mm	全巾 (W) mm	全高 (H) mm	折たみ高 (h) mm	質量 kg
ASKB 43-66	4350~6600	4000	1300	912	995	310	165
ASKB 63-96	6350~9600	6000	1800	912	995	310	220




鉄骨階段手摺




S-120 (11.9kg)




S-200 (15.3kg)



F-45 (5.2kg)



F-90 (10.1kg)



A-165 (3.6kg)


つかみ巾：0~22mm
ボルト頭径：24mm (16~55mm)



鉄骨階段用クランプ
TC-34 (0.4kg)




鉄骨クランプ KH-K



*兼用型
(水平固定・自在)
(垂直固定・自在)


質量 1.15kg

鉄骨階段ステップ TS-85



質量 4.1kg

アイアンマン AC50



売買品

許容荷重 49kN

質量 2.6kg



アンクランプ 垂直型

固定・AH-BC
自在・AH-BF



質量 0.8kg

アンクランプ 水平型

固定・AH-AC
自在・AH-AF



質量 0.8kg

アンクランプ 浮し型 AH-U



質量 1.3kg

チェーンハンガー AH-C






許容荷重 4.90kN

質量 0.67kg



ラダーブラケット LA-3065



許容荷重 1.3kN

質量 4.4kg